


Kendo



Fact Sheet










Kendo Chair

Design by LucidiPevere

The Kendo Chair's soft, wrap-around upper offers an appealingly ergonomic seating experience. Simultaneously protective and inviting, this design by LucidiPevere offers a shielding shape combined with a gentle embrace. The generous seat is wide and comfortable, allowing you to move freely, shift position, express yourself. Whether around a boardroom or a dining table, Kendo keeps you comfortable for long periods of time. Its sturdy welded frame makes this chair built to last. A barstool and bar chair complete the Kendo family.



| Product name | Finish | SKU | Finish | SKU | |
|--------------|----------------|-------|-----------|-------|--|
| Kendo Chair | Black Leather | 20251 | Dark Blue | 30961 | |
| | Canyon | 30209 | Grey | 30962 | |
| | Cognac Leather | 20250 | Icicle | 30963 | |
| | Graphite | 30116 | Conker | 30980 | |
| | Porcelain | 30097 | | | |
| | Tivoli | 30114 | | | |
| | Pine | 30640 | | | |
| | Rosewood | 30644 | | | |
| | | | | | |
| | | | | | |

| | | |
|--|---|--|
| <p>Upholstery</p> <p>Sera by Rohi (Germany) 94% Virgin Wool, 6% Polyamide 122,000 Martindale Pilling 4-5; Lightfastness 5-8 Flame resistance EN 1021: Part 1 & 2, BS 5852: Part 1 & 2 (Crib 5), US Cal. TB 117-2013</p> <p>Elmosoft Leather by Elmo (Sweden) Scandinavian Grain Leather, Semi-aniline Flame resistance EN 1021: Part 1 & 2, BS 5852: Part 1 & 2 (Crib 5), DIN 4102 - 1 (B1), US Cal. TB 117-2013</p> <p>Cura by Gabriel (Denmark) 98% Recycled Polyester, 2% Polyester 100,000 Martindale Pilling 4-5; Lightfastness 5-8 Flame resistance EN 1021: Part 1 & 2, US Cal. TB 117-2013</p> <p>Tiree by Bute Fabrics (Scotland) 92% Pure New Wool, 8% Nylon 50,000 Martindale Pilling 3-4; Lightfastness 5 Flame resistance EN 1021: Part 1 & 2, BS 5852: Part 1 & 2 (Crib 5), US Cal. TB 117-2013</p> <p>Leg material Steel Powder Coated</p> <p>Inside material PU foam Steel structure & wooden structure</p> <p>Tests & certifications EN 16139:2013 – L2: Extreme use – Furniture – Strength, durability and safety – Requirements for non-domestic seating – ANSI/BIFMA X5.1-2017 American National Standard For Office Furnishings – General Purpose Office Chairs</p> <p>Country of origin Lithuania</p> | <p>Always in stock We keep all our products in stock and ready to ship from our warehouses in the US and EU</p> <div style="display: grid; grid-template-columns: repeat(4, 1fr); gap: 10px;"> <div style="text-align: center;">  Tivoli Sera </div> <div style="text-align: center;">  Porcelain Sera </div> <div style="text-align: center;">  Graphite Sera </div> <div style="text-align: center;">  Canyon Sera (Hem exclusive) </div> <div style="text-align: center;">  Cognac Elmosoft Leather (54035) </div> <div style="text-align: center;">  Black Elmosoft Leather (99999) </div> <div style="text-align: center;">  Pine Sera (Hem exclusive) </div> <div style="text-align: center;">  Rosewood Sera </div> <div style="text-align: center;">  Dark Blue Cura </div> <div style="text-align: center;">  Grey Cura </div> <div style="text-align: center;">  Icicle Tiree </div> <div style="text-align: center;">  Conker Tiree </div> <div style="text-align: center;">  Black (RAL 9005) Powder Coated Steel </div> </div> | <p>3D model 3D files of all products are available on the product pages on hem.com</p> <p>MTO Please refer to the price list or reach out to your local representative for our made-to-order options</p> |
|--|---|--|

| | | | |
|--------------------|-------------------------------|-----------------|-----------------|
| Kendo Chair | | | |
| Side view | Seat depth 41 cm / 16.1 in | Front view | 44 cm / 17.3 in |
| 77 cm / 30.1 in | 54 cm / 21.6 in | 62 cm / 24.4 in | 47 cm / 18.5 in |

Kendo Swivel Chair















4-star Return

Design by LucidiPevere

The Kendo Chair's soft, wrap-around upper offers an appealingly ergonomic seating experience. Simultaneously protective and inviting, this design by LucidiPevere offers a shielding shape combined with a gentle embrace. The generous seat is wide and comfortable, allowing you to move freely, shift position, express yourself. Whether around a boardroom or a dining table, Kendo keeps you comfortable for long periods of time. Its sturdy welded frame makes this chair built to last. A barstool and bar chair complete the Kendo family.



| Product name | Finish | SKU | Finish | SKU |
|---|---|-------|------------------------------------|-------|
| Kendo Swivel Chair 4-star Return | 4-star Return Black Leather / Black PC | 20243 | 4-star Return Dark Blue / Black PC | 30967 |
| | 4-star Return Black Leather / Polished | 20245 | 4-star Return Dark Blue / Polished | 30966 |
| | 4-star Return Canyon / Black PC | 20201 | 4-star Return Grey / Black PC | 30971 |
| | 4-star Return Canyon / Polished | 20205 | 4-star Return Grey / Polished | 30970 |
| | 4-star Return Cognac Leather / Black PC | 20242 | 4-star Return Icicle / Black PC | 30975 |
| | 4-star Return Cognac Leather / Polished | 20244 | 4-star Return Icicle / Polished | 30974 |
| | 4-star Return Graphite / Black PC | 20203 | 4-star Return Conker / Black PC | 30979 |
| | 4-star Return Graphite / Polished | 20207 | 4-star Return Conker / Polished | 30978 |
| | 4-star Return Porcelain / Black PC | 20202 | | |
| | 4-star Return Porcelain / Polished | 20206 | | |
| | 4-star Return Tivoli / Black PC | 20200 | | |
| | 4-star Return Tivoli / Polished | 20204 | | |
| | 4-star Return Pine / Black PC | 20455 | | |
| | 4-star Return Pine / Polished | 20456 | | |
| | 4-star Return Rosewood / Black PC | 20459 | | |
| | 4-star Return Rosewood / Polished | 20460 | | |

| | | |
|---|---|--|
| <p>Upholstery</p> <p>Sera by Rohi (Germany) 94% Virgin Wool, 6% Polyamide 122,000 Martindale Pilling 4-5; Lightfastness 5-8 Flame resistance EN 1021: Part 1 & 2, BS 5852: Part 1 & 2 (Crib 5), US Cal. TB 117-2013</p> <p>Elmosoft Leather by Elmo (Sweden) Scandinavian Grain Leather, Semi-aniline Flame resistance EN 1021: Part 1 & 2, BS 5852: Part 1 & 2 (Crib 5), DIN 4102 - 1 (B1), US Cal. TB 117-2013</p> <p>Cura by Gabriel (Denmark) 98% Recycled Polyester, 2% Polyester 100,000 Martindale Pilling 4-5; Lightfastness 5-8 Flame resistance EN 1021: Part 1 & 2, US Cal. TB 117-2013</p> <p>Tiree by Bute Fabrics (Scotland) 92% Pure New Wool, 8% Nylon 50,000 Martindale Pilling 3-4; Lightfastness 5 Flame resistance EN 1021: Part 1 & 2, BS 5852: Part 1 & 2 (Crib 5), US Cal. TB 117-2013</p> <p>Leg material <i>Steel / Aluminum</i> Powder Coated / Polished</p> <p>Inside material PU foam Steel structure & wooden structure</p> <p>Tests & certifications EN 16139:2013 – L2: Extreme use – Furniture – Strength, durability and safety – Requirements for non-domestic seating – ANSI/BIFMA X5.1-2017 American National Standard For Office Furnishings – General Purpose Office Chairs</p> <p>Country of origin Lithuania</p> | <p>Always in stock We keep all our products in stock and ready to ship from our warehouses in the US and EU</p> <div style="display: grid; grid-template-columns: repeat(4, 1fr); gap: 10px;"> <div style="text-align: center;">  <p>Tivoli <i>Sera</i></p> </div> <div style="text-align: center;">  <p>Porcelain <i>Sera</i></p> </div> <div style="text-align: center;">  <p>Graphite <i>Sera</i></p> </div> <div style="text-align: center;">  <p>Canyon <i>Sera (Hem exclusive)</i></p> </div> <div style="text-align: center;">  <p>Cognac <i>Elmosoft Leather (54035)</i></p> </div> <div style="text-align: center;">  <p>Black <i>Elmosoft Leather (99999)</i></p> </div> <div style="text-align: center;">  <p>Pine <i>Sera (Hem exclusive)</i></p> </div> <div style="text-align: center;">  <p>Rosewood <i>Sera</i></p> </div> <div style="text-align: center;">  <p>Dark Blue <i>Cura</i></p> </div> <div style="text-align: center;">  <p>Grey <i>Cura</i></p> </div> <div style="text-align: center;">  <p>Icicle <i>Tiree</i></p> </div> <div style="text-align: center;">  <p>Conker <i>Tiree</i></p> </div> <div style="text-align: center;">  <p>Black (RAL 9005) <i>Powder Coated Steel / Aluminium</i></p> </div> <div style="text-align: center;">  <p>Polished <i>Steel / Aluminium</i></p> </div> </div> | <p>3D model 3D files of all products are available on the product pages on hem.com</p> |
| | <p>Samples We supply samples of our material finishes. You can order them directly from hem.com/samples</p> | <p>MTO Please refer to the price list or reach out to your local representative for our made-to-order options</p> |

3D model


3D files of all products are available on the product pages on hem.com

Kendo Swivel Chair 4-star Return

Front view

44 cm / 17 in


77 cm / 30 in



Side view

Seat depth
41 cm / 16.1 in

30 cm /
12 in




47 cm / 19 in

Kendo Swivel Chair 4-star Return

Top view

62 cm / 24 in

54 cm / 21 in



Kendo Swivel Chair

5-star Castors

Design by LucidiPevere

The Kendo Chair's soft, wrap-around upper offers an appealingly ergonomic seating experience. Simultaneously protective and inviting, this design by LucidiPevere offers a shielding shape combined with a gentle embrace. The generous seat is wide and comfortable, allowing you to move freely, shift position, express yourself. Whether around a boardroom or a dining table, Kendo keeps you comfortable for long periods of time. Its sturdy welded frame makes this chair built to last. A barstool and bar chair complete the Kendo family.



| Product name | Finish | SKU | Finish | SKU |
|--|--|-------|-------------------------------------|-------|
| Kendo Swivel Chair 5-star Castors | 5-star Castors Black Leather / Black PC | 20247 | 5-star Castors Dark Blue / Black PC | 30965 |
| | 5-star Castors Black Leather / Polished | 20249 | 5-star Castors Dark Blue / Polished | 30964 |
| | 5-star Castors Canyon / Black PC | 20209 | 5-star Castors Grey / Black PC | 30969 |
| | 5-star Castors Canyon / Polished | 20213 | 5-star Castors Grey / Polished | 30968 |
| | 5-star Castors Cognac Leather / Black PC | 20246 | 5-star Castors Icicle / Black PC | 30973 |
| | 5-star Castors Cognac Leather / Polished | 20248 | 5-star Castors Icicle / Polished | 30972 |
| | 5-star Castors Graphite / Black PC | 20211 | 5-star Castors Conker / Black PC | 30977 |
| | 5-star Castors Graphite / Polished | 20215 | 5-star Castors Conker / Polished | 30976 |
| | 5-star Castors Porcelain / Black PC | 20210 | | |
| | 5-star Castors Porcelain / Polished | 20214 | | |
| | 5-star Castors Tivoli / Black PC | 20208 | | |
| | 5-star Castors Tivoli / Polished | 20212 | | |
| | 5-star Castors Pine / Black PC | 20457 | | |
| | 5-star Castors Pine / Polished | 20458 | | |
| | 5-star Castors Rosewood / Black PC | 20461 | | |
| | 5-star Castors Rosewood / Polished | 20462 | | |

Upholstery

Sera
by Rohi (Germany)
94% Virgin Wool, 6% Polyamide
122,000 Martindale
Pilling 4-5; Lightfastness 5-8
Flame resistance EN 1021: Part 1 & 2, BS 5852: Part 1 & 2 (Crib 5), US Cal. TB 117-2013

Elmosoft Leather
by Elmo (Sweden)
Scandinavian Grain Leather, Semi-aniline
Flame resistance EN 1021: Part 1 & 2, BS 5852: Part 1 & 2 (Crib 5), DIN 4102 - 1 (B1), US Cal. TB 117-2013

Cura
by Gabriel (Denmark)
98% Recycled Polyester, 2% Polyester
100,000 Martindale
Pilling 4-5; Lightfastness 5-8
Flame resistance EN 1021: Part 1 & 2, US Cal. TB 117-2013

Tiree
by Bute Fabrics (Scotland)
92% Pure New Wool, 8% Nylon
50,000 Martindale
Pilling 3-4; Lightfastness 5
Flame resistance EN 1021: Part 1 & 2, BS 5852: Part 1 & 2 (Crib 5), US Cal. TB 117-2013

Leg material
Steel / Aluminum
Powder Coated / Polished


Inside material
PU foam
Steel structure & wooden structure

Tests & certifications
EN 16139:2013 – L2: Extreme use – Furniture – Strength, durability and safety – Requirements for non-domestic seating – ANSI/BIFMA X5.1-2017 American National Standard For Office Furnishings – General Purpose Office Chairs


Country of origin
Lithuania

Always in stock


We keep all our products in stock and ready to ship from our warehouses in the US and EU




Tivoli
Sera



Porcelain
Sera



Graphite
Sera




Canyon
Sera (Hem exclusive)




Cognac
Elmosoft Leather (54035)



Black
Elmosoft Leather (99999)




Pine
Sera (Hem exclusive)




Rosewood
Sera



Dark Blue
Cura



Grey
Cura



Icicle
Tiree



Conker
Tiree



Black (RAL 9005)
Powder Coated Steel / Aluminium



Polished
Steel / Aluminium

Samples

We supply samples of our material finishes. You can order them directly from hem.com/samples

MTO

Please refer to the price list or reach out to your local representative for our made-to-order options

3D model


3D files of all products are available on the product pages on hem.com

Kendo Swivel Chair 5-star Castors

Front view

44 cm / 17 in


75 - 84 cm / 29.5 - 33.1 in



Side view

Seat depth
41 cm / 16.1 in

30 cm /
12 in




45-54 cm /
17.7-21.3 in

Kendo Swivel Chair 5-star Castors

Top view

65 cm / 25.6 in

65 cm / 25.6 in









Kendo Bar Chair

Design by LucidiPevere

The Kendo Chair's soft, wrap-around upper offers an appealingly ergonomic seating experience. Simultaneously protective and inviting, this design by LucidiPevere offers a shielding shape combined with a gentle embrace. The generous seat is wide and comfortable, allowing you to move freely, shift position, express yourself. Whether around a boardroom or a dining table, Kendo keeps you comfortable for long periods of time. Its sturdy welded frame makes this chair built to last. A barstool and bar chair complete the Kendo family.



| Product name | Finish | SKU |
|------------------------|-----------|-------|
| Kendo Bar Chair | Tivoli | 30210 |
| | Porcelain | 30307 |
| | Graphite | 30308 |
| | Canyon | 30309 |
| | Pine | 30641 |
| | Rosewood | 30645 |

| | |
|--|--|
| <p>Upholstery</p> <p>Sera by Rohi (Germany) 94% Virgin Wool, 6% Polyamide 122,000 Martindale Pilling 4-5; Lightfastness 5-8 Flame resistance EN 1021: Part 1 & 2, BS 5852: Part 1 & 2 (Crib 5), US Cal. TB 117-2013</p> <p>Elmosoft Leather by Elmo (Sweden) Scandinavian Grain Leather, Semi-aniline Flame resistance EN 1021: Part 1 & 2, BS 5852: Part 1 & 2 (Crib 5), DIN 4102 - 1 (B1), US Cal. TB 117-2013</p> <p>Cura by Gabriel (Denmark) 98% Recycled Polyester, 2% Polyester 100,000 Martindale Pilling 4-5; Lightfastness 5-8 Flame resistance EN 1021: Part 1 & 2, US Cal. TB 117-2013</p> <p>Tiree by Bute Fabrics (Scotland) 92% Pure New Wool, 8% Nylon 50,000 Martindale Pilling 3-4; Lightfastness 5 Flame resistance EN 1021: Part 1 & 2, BS 5852: Part 1 & 2 (Crib 5), US Cal. TB 117-2013</p> <p>Leg material Steel Powder Coated</p> <p>Inside material PU foam Steel structure & wooden structure</p> <p>Tests & certifications EN 16139:2013 – L2: Extreme use – Furniture – Strength, durability and safety – Requirements for non-domestic seating – ANSI/BIFMA X5.1-2017 American National Standard For Office Furnishings – General Purpose Office Chairs</p> <p>Country of origin Lithuania</p> | <p>Always in stock We keep all our products in stock and ready to ship from our warehouses in the US and EU</p> <div style="display: flex; flex-wrap: wrap; justify-content: space-around;"> <div style="text-align: center;">  <p>Tivoli Sera</p> </div> <div style="text-align: center;">  <p>Porcelain Sera</p> </div> <div style="text-align: center;">  <p>Graphite Sera</p> </div> <div style="text-align: center;">  <p>Canyon Sera (Hem exclusive)</p> </div> <div style="text-align: center;">  <p>Pine Sera (Hem exclusive)</p> </div> <div style="text-align: center;">  <p>Rosewood Sera</p> </div> <div style="text-align: center;">  <p>Black (RAL 9005) Powder Coated Steel</p> </div> </div> <p>3D model 3D files of all products are available on the product pages on hem.com</p> <p>Samples We supply samples of our material finishes. You can order them directly from hem.com/samples</p> <p>MTO Please refer to the price list or reach out to your local representative for our made-to-order options</p> |
|--|--|







| Kendo Bar Chair | | | |
|-----------------|-------------------------------|-----------------|-----------------|
| Side view | Seat depth 42 cm / 16.5 in | Front view | 42 cm / 16.5 in |
| 95 cm / 37.4 in | 21 cm / 8.4 in | 75 cm / 29.5 in | 30 cm / 11.3 in |
| 52 cm / 20.4 in | | 60 cm / 23.5 in | |

Kendo Bar Stool

Design by LucidiPevere

The Kendo Chair's soft, wrap-around upper offers an appealingly ergonomic seating experience. Simultaneously protective and inviting, this design by LucidiPevere offers a shielding shape combined with a gentle embrace. The generous seat is wide and comfortable, allowing you to move freely, shift position, express yourself. Whether around a boardroom or a dining table, Kendo keeps you comfortable for long periods of time. Its sturdy welded frame makes this chair built to last. A barstool and bar chair complete the Kendo family.



| Product name | Finish | SKU | |
|---|---|---|---|
| Kendo Bar Stool | Tivoli | 30310 | |
| | Canyon | 30313 | |
| | Pine | 30642 | |
| | Rosewood | 30646 | |
| <p>Upholstery Sera by Rohi (Germany) 94% Virgin Wool, 6% Polyamide 122,000 Martindale Pilling 4-5; Lightfastness 5-8 Flame resistance EN 1021: Part 1 & 2, BS 5852: Part 1 & 2 (Crib 5), US Cal. TB 117-2013</p> <p>Leg material Steel Powder Coated</p> <p>Inside material PU foam Wooden structure</p> <p>Tests & certifications EN 16139:2013 – L2: Extreme use – Furniture – Strength, durability and safety – Requirements for non-domestic seating – ANSI/BIFMA X5.1-2017 American National Standard For Office Furnishings – General Purpose Office Chairs</p> <p>Country of origin Lithuania</p> | <p>Always in stock We keep all our products in stock and ready to ship from our warehouses in the US and EU</p> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  Tivoli Sera </div> <div style="text-align: center;">  Canyon Sera (Hem exclusive) </div> <div style="text-align: center;">  Pine Sera (Hem exclusive) </div> <div style="text-align: center;">  Rosewood Sera </div> </div> <div style="text-align: center; margin-top: 20px;">  Black (RAL 9005) Powder Coated Steel </div> | <p>3D model 3D files of all products are available on the product pages on hem.com</p> | |
| <p>Samples We supply samples of our material finishes. You can order them directly from hem.com/samples</p> | <p>MTO Please refer to the price list or reach out to your local representative for our made-to-order options</p> | | |
| Kendo Bar Stool | | | |
| Side view |  43 cm / 16.9 in 21 cm / 8.4 in 39 cm / 15.4 in | Front view |  43 cm / 16.9 in 75 cm / 29.5 in 30 cm / 11.8 in 39 cm / 15.4 in |










Kendo Counter Stool

Design by LucidiPevere

The Kendo Chair's soft, wrap-around upper offers an appealingly ergonomic seating experience. Simultaneously protective and inviting, this design by LucidiPevere offers a shielding shape combined with a gentle embrace. The generous seat is wide and comfortable, allowing you to move freely, shift position, express yourself. Whether around a boardroom or a dining table, Kendo keeps you comfortable for long periods of time. Its sturdy welded frame makes this chair built to last. A barstool and bar chair complete the Kendo family.



| Product name | Finish | SKU |
|----------------------------|-----------|-------|
| Kendo Counter Stool | Tivoli | 30314 |
| | Porcelain | 30315 |
| | Graphite | 30211 |
| | Canyon | 30212 |
| | Pine | 30643 |
| | Rosewood | 30647 |

| | | | | | |
|---|---|-----------------|-----------------|---|-----------------|
| <p>Upholstery Sera by Rohi (Germany) 94% Virgin Wool, 6% Polyamide 122,000 Martindale Pilling 4-5; Lightfastness 5-8 Flame resistance EN 1021: Part 1 & 2, BS 5852: Part 1 & 2 (Crib 5), US Cal. TB 117-2013</p> <p>Leg material Steel Powder Coated</p> <p>Inside material PU foam Wooden structure</p> <p>Tests & certifications EN 16139:2013 – L2: Extreme use – Furniture – Strength, durability and safety – Requirements for non-domestic seating – ANSI/BIFMA X5.1-2017 American National Standard For Office Furnishings – General Purpose Office Chairs</p> <p>Country of origin Lithuania</p> | <p>Always in stock We keep all our products in stock and ready to ship from our warehouses in the US and EU.</p> <div style="display: flex; flex-wrap: wrap; justify-content: space-around;"> <div style="text-align: center;">  <p>Tivoli Sera</p> </div> <div style="text-align: center;">  <p>Porcelain Sera</p> </div> <div style="text-align: center;">  <p>Graphite Sera</p> </div> <div style="text-align: center;">  <p>Canyon Sera (Hem exclusive)</p> </div> <div style="text-align: center;">  <p>Pine Sera (Hem exclusive)</p> </div> <div style="text-align: center;">  <p>Rosewood Sera</p> </div> <div style="text-align: center;">  <p>Black (RAL 9005) Powder Coated Steel</p> </div> </div> <p>3D model 3D files of all products are available on the product pages on hem.com</p> | | | | |
| <p>Samples We supply samples of our material finishes. You can order them directly from hem.com/samples</p> | <p>MTO Please refer to the price list or reach out to your local representative for our made-to-order options</p> | | | | |
| Kendo Counter Stool | | | | | |
| Side view |  | 43 cm / 16.9 in | Front view |  | 43 cm / 16.9 in |
| 29 cm / 11.4 in | | | 65 cm / 25.6 in | | 20 cm / 7.9 in |
| | 39 cm / 15.4 in | | | 39 cm / 15.4 in | |

With proper care, the high quality of Hem furniture can be maintained for years to come. If you want to learn more or have any questions about our care & maintenance recommendations, please write to info@hem.com.

Hem