

# NUURA



## RIZZATTO 32

Design: Paolo Rizzato, 2021. EU-model.

**The Rizzato collection comprises two pendants and a ceiling light. The organic shapes created by mouth-blown glass are one feature all three have in common.**


The pendants comprise brass-coloured anodised aluminium and mouth-blown glass. The light unfolds from its source, and diffuses wonderfully through the opal-white glass, creating soft, comfortable quality lighting. Two of the pendants are height-adjustable, making them versatile for use in private homes or public places. The ceiling light is mounted directly on the ceiling, making it possible to create unique, decorative ceiling lighting.

**Rizzato 32**, gives a soft and even light, making it ideal to place above a dining table or sofa. It is also great for either the bedroom or the hallway.

### Rizzato collection

The Rizzato collection include the following products:

- **Rizzato 32:** Satin Brass - Opal White
- **Rizzato 42:** Satin Brass - Opal White
- **Rizzato 43:** Satin Brass - Opal White



## TECHNICAL INFO

**Product no.:** 07690424

**Type:** Suspension - Indoor

**Colour:**

Glass: Opal White  
Metal: Satin Brass  
Cable: Gold

**Materials:**

Coated metal  
Mouth-blown glass  
Fabric covered cable

**Dimensions:**

ø300mm x 448mm  
Ceiling plate: ø145mm x 29mm  
Fabric cable - Length: 4000mm  
Weight: 3010 g

**Packaging:**

Dimensions: L: 400mm x W: 280mm x H: 525mm  
Weight: 980 g  
Total weight incl. product: 3990 g  
Number of parcels: 1  
Material: Brown cardboard.

**Packaging - weight - material:**

Cardboard outside: - g  
Cardboard inside: - g  
Bubble wrap: - g  
Plastic bag: - g  
Styrofoam: - g

**Cleaning:**

Use a soft dry cloth to clean the product.  
Do not use household cleaners.

**Certifications and labels:**

CE - CE-certified  
IP Rating - IP20  
⊕ - Class I

**Light source:**

Socket: E14  
Max wattage: 20W LED  
Voltage (V): 220-240V

**Recommended light source:**

E14 Philips LED, Dimmable, 4,5W / 470 lumen

**Bulb not included**


**Dimmable if installed with appropriate dimmable LED light source suitable for your dimmer circuit.**

Light source can be added to delivery on request or via our webshop, nuura.com.

**For DALI compatibility, we recommend to use the Hytronik Trailing Edge Dimmer (HDD2200 DALI Dimmer) and our recommended light sources.**

HDD2200 DALI Dimmer can be added to delivery on request.

**Included ceiling plate:**




# NUURA



**RIZZATTO 32**  
**satin silver / opal white**

Design: Paolo Rizzato, 2021



**Rizzato 32** gives a soft and even light, making it ideal above a dining table or sofa. It is also suitable for the bedroom or the hallway. The pendant is height-adjustable. The playful forms of the pendant and the diffused light through the opal white glass add a decorative element to the home.

Explore the rest of the Rizzato collection on our website, [here](#)

**Product no.:** EU - 2073003 / US - 3073003

**Certifications:** CE, ETL, IP20, Class I

**Type:** Pendant - indoor

**For information about IP ratings, click [here](#)**

**Colour:** Glass: opal white / Metal: satin silver  
Cable: silver

**Cleaning:** Use a soft dry cloth to clean the product.  
Do not use household cleaners.

**Materials:** Anodized metal, mouth-blown glass,  
fabric covered cable

**Light source:** Socket: E14 / E26 (T38)  
Max wattage: 40W LED  
Voltage (V): 220-240V / 120V

**Dimensions:**  $\varnothing$ 300mm / 11.8in x 448mm / 17.6in  
Ceiling plate:  $\varnothing$ 145mm / 5.7in  
x 29mm / 1in  
Cable length: 4000mm / 157.4in

**See recommended light source [here](#)**

**Weight:** 3010g

**Light sources not included**

**Packaging:** Dimensions: L: 400mm / 15.7 x  
W: 280mm / 11in x H: 525mm / 20.6in  
Weight: 980 g  
Total weight incl. product: 3990 g  
Number of parcels: 1  
Material: Brown cardboard.

**Dimmable if installed with appropriate dimmable LED light source(s) suitable for your dimmer circuit.**

Light source can be added to delivery on request or via our webshop at [nuura.com](#).

Works with appropriate lighting control module. Module can be added to delivery on request.

**Find our recommendations [here](#)**