



ECHOO

design Piero Lissoni

Sofas and armchair with a structure in poplar plywood, fir wood and chipboard and seat frame in steel with epoxy polyester powder coating, spring system with cross-woven elastic straps made of coated rubber, with a padding in polyurethane foam covered with a lining made of 100% polyester, with padding in polyurethane foam covered with a lining made of 100% polyester, coupled with a thermo-fixed polyamide velveteen backing. Seat cushion padding with differentiated density polyurethane foam, covered with a lining made of polyester fiber, with needle-treatment and resin-coated, coupled with a polyamide velveteen backing.

Armrest and backrest cushions in differentiated density polyurethane foam covered with mattress pad filled with pre-washed and sterilized goose down, stitched into separate compartments. Steel tubular feet Ø15 mm, screwed into the seat frame using a bushing, with epoxy polyester powder coating in Gunmetal grey color, with floor support provided by adjustable black plastic tips. Fabric or leather upholstery, fully removable with zippers and Velcro fastenings.

Seat depth: Armchair 64 cm;
Sofas 69 cm.

Feet




Gunmetal Grey
Lacquering


Notes

For dimensions 307 / 322 cm, on request the sofa can be supplied in two parts (always as shown in the drawing above), with even upholstery in two parts.

Sofa 307 cm



Sofa 322 cm




This solution is for delivery purposes only. The model is not available as modular.


For leather coverings the "Leather A" or "Leather B" Maintenance Kit is included with the product.

For information on the compatibility of the collection's coverings with each product, please refer to the [compliance sheet](#) provided in the "Materials" section of the website.


Technical Drawings
Armchair



Sofa



Pouf



Loose Cushion





