




Brolly Pendant

The Brolly lighting series demonstrates the strength of simplistic shapes. Precise and considered, these elegant lights display the kind of thoughtful, almost deceptive, simplicity that makes them timeless particulars in any decor. In this pendant version of the Brolly Lamp, the conical lampshade is magnified into diameters of 70 and 90 centimetres, their sharp volumes enhancing the architectural expression of the design. The concave diffuser spreads a soft and generous light that does not blind you when you are seated beneath the lamp. Let the pendant hover above the dining table or wherever pleasant light and a significant silhouette are sought.

Product highlights

- Part of the Brolly family, offering a portable table lamp and pendants in various sizes.
- Compliant with CE, UKCA, RCM and ETL standards, suitable for use in EU, UK, AU and US markets.
- Available in two sizes.
- Ideal for both public and private settings.



Product Type	Pendant, Lighting
Designer	Knut Bendik Humlevik, 2023
About the Designer	After years of experience as a product designer, Knut Bendik Humlevik became New Works creative director in 2014. Leading the story of New Works in collaboration with a number of internationally renowned designers, Knut also contributes his own pieces to the collection. His Scandinavian heritage is combined with an internationally inspired passion for honest materials, in a quest to create artistic and highly functional objects.
Environment	Indoor
Country of Origin	PRC
Assembly Requirements	Preassembled
Material	Brolly Pendant is crafted from brushed anodized aluminum. Its underside is made of PC plastic, producing a broad gradient light.
Light Source included	Yes
Cleaning & Care	Turn off the electricity before cleaning the lamp. Use a soft, dry cloth to remove the dust from the lamp. For deeper cleaning, dampen a cloth gently wipe the surface. If needed, use a mild detergent. Always test a small area first to ensure it does not damage the material.

Dimensions


Ø70

Height: 290 mm / 11.4"
Width: 700 mm / 27.6"
Depth: 700 mm / 27.6"

Ø90

Height: 320 mm / 12.6"
Width: 900 mm / 35.4"
Depth: 900 mm / 35.4"

Cord Length: 5000 mm / 196.9"




Packaging Dimensions

Ø70

Height: 370 mm / 14.6"
Width: 850 mm / 33.5"
Depth: 860 mm / 33.5"

Ø90

Height: 370 mm / 14.6"
Width: 1050 mm / 41.3"
Depth: 1060 mm / 41.7"



Weight

Ø70

3 kg / 6.6 lbs

Ø90

4 kg / 8.8 lbs

Weight Incl Packaging


Ø70

8 kg / 17.6 lbs

Ø90

10 kg / 22.1 lbs

Versions



Item No: 21520/21520US
Variant: Brolly Pendant Ø70



Item No: 21530/21530US
Variant: Brolly Pendant Ø90

Lamp Rating

Voltage: CE: 220-240 V, ETL: 110-120 V
Frequency: 50/60 Hz
IP-Rating: IP20
Classification: Class II

Light Source Specification

Item	LED
Watt	22 W
Lumen	1144 lm
Lumen Maintenance	50000 h
Kelvin	2700
CRI	90
Dimmable	Yes

Tests & Certificates**Lighting Certifications**

CE, RCM, UKCA, ETL

High res images and 2D/3D files available for download at:
newworks.presscloud.com