



## PEBBLE STOOL

design Lanzavecchia + Wai

Stools available in two different heights and with three different backrest versions. Base consisting of 5 mm-thick steel plate as seat support and legs in steel rod Ø18 mm, with 20x5 mm and Ø14 mm-thick section joining crosspieces serving as footrests; front footrest crosspiece covered with a protective hard rubber gasket. Seat and backrest with frame consisting of two shells featuring outer parts of poplar plywood and inner parts in poplar plywood panel and padding with preformed polyurethane foam padding, both covered with a fabric lining. The two components of the backrest shell are joined together using a press-fit coupling system, while the two parts of the seat shell are secured with screws.

Non-removable upholstery, standard in black Caresse 807 leather for the outer shells, underside of the seat, and back of the backrest; padded parts feature fixed upholstery in fabric or leather. Backrest shell screwed to the base with a 5 mm thick folded steel plate, and seat shell screwed to the seat support plate. All metal parts are finished with epoxy polyester powder coating in Gunmetal grey color. Floor support provided by plastic self-levelling supports with interchangeable tips, depending on the floor. Seat depth: 33 cm.

### Structure





Gunmetal Grey  
Lacquering

### Seat Shell and Backrest Shell



Leather  
Caresse 807

### Technical Drawings



### Notes

This model complies with resistance and stability tests EN 1728:2012+AC:2013.

For leather coverings the "Leather A" or "Leather B" Maintenance Kit is included with the product.

For information on the compatibility of the collection's coverings with each product, please refer to the [compliance sheet](#) provided in the "Materials" section of the website.

