


---

# GRAB

SCHEDA TECNICA | *DATA SHEET*



# Grab



## MODULARITÀ ANTA | DOOR MODULARITY

### Larghezza | Width

447

497

597

### Altezza | Height

2253

2413

2573

### Profondità Totale | Overall depth

455 anta inclusa door included

611 anta inclusa door included

## FINITURE ANTA | DOOR FINISHES


- K100 MELAMINICO BASE | MELAMINE BASE
- K122 MELAMINICO PLUS | MELAMINE PLUS
- K153 LACCATO OPACO BASE | BASE MATT LACQUERED
- K151 LACCATO OPACO | MATT LACQUERED
- K700 LACCATO LUCIDO | GLOSSY LACQUERED
- K703 ESSENZA BASE | VENEERED BASE
- K704 ESSENZA PLUS | VENEERED PLUS

## SPECIFICHE MANIGLIA | HANDLE DATA


Maniglia verticale a tutta altezza, integrata al profilo in finitura cromo-lucido di serie.

### MAGGIORAZIONE PER MANIGLIA LACCATA +60

Full height vertical handle, integrated with the polished-chrome profile  
EXTRA CHARGE FOR LACQUERED HANDLE +60



## MODULI DISPONIBILI | AVAILABLE MODULES



## REGOLE DI UTILIZZO | USAGE RULES

### CERNIERE AMMORTIZZATE OPZIONALI

Gli Armadi Battenti sono dotati di cerniere NON ammortizzate per il rallentamento automatico dell'anta. **Maggiorazione anta per cerniere ammortizzate + 20€.**

### NOTE DI SICUREZZA

L'apertura contemporanea di tutte le ante, con armadio completamente vuoto, può causare il ribaltamento dell'armadio, per questo l'azienda ritiene obbligatorio ai fini della sicurezza un fissaggio a muro.

### FUORI MISURA

Per la riduzione del modulo e delle ante del suddetto modello vedere la pagina relativa alle soluzioni a misura. Pag. 394

### SOFT-CLOSING HINGES

Swing cabinets are NOT equipped with dampened hinges for automatic sliding of the door. **DOOR EXTRA CHARGE DAMPENED HINGES: + 20€ PER DOOR.**

### SAFETY NOTES

The simultaneous opening of all the doors, with the cabinet completely empty, can cause the overturning of the cabinet, for this reason the company considers it is mandatory to fix it to the wall for safety purposes.

### CUSTOMIZATION

For the reduction of the module and the doors of the above model see the page relating to customized solutions. Pag. 394

